Available online at www.sciencedirect.com
SCIENCE DIRECT®
ELSEVIER
Journal of Magnetism and Magnetic Materials 283 (2004) 422–425
Journal of magnetism and magnetic materials
www.elsevier.com/locate/jmmm

Author index to volume 283

Agrafiotis, C.C. and V.T. Zaspalis, Self-propagating high-temperature synthesis of MnZn-ferrites for inductor applications 364
Ambrose, T., see Litvinov, D. 128
Anantharaman, M.R., see Nair, S.S. 344

Baffa, O., see Ferreira, A. 16
Bai, J., H. Takahoshi, H. Ito, Y.W. Rheem, H. Saito and S. Ishio, Influence of inhomogeneous coercivities on media noise in granular perpendicular media investigated by using magnetic force microscopy 291
Barbosa, L.P., H. Takiishi, L.F.C.P. Lima and R.N. Faria, The effect of niobium content on the magnetic properties and microstructures of PrFECoBNb HDDR magnets and alloys 263
Bekker, V., see Seemann, K. 310
Bhaskar, A., B.R. Kanth and S.R. Murthy, Electrical properties of Mn added MgCuZn ferrites prepared by microwave sintering method 109
Bica, I., Magnetorheological suspension based on mineral oil, iron and graphite micro-particles 335
Blamire, M., see Qi, X. 415
Blythe, H.J., R.M. Ibrahim, G.A. Gehring, J.R. Neal and A.M. Fox, Mechanical alloying: a route to room-temperature Ferromagnetism in bulk $Zn_{1-x}Mn_xO$ 117
Brammeier, D.P., J.-M. Park, C.G. Olson, I.R. Fisher and D.W. Lynch, Magneto-optic spectrum and electronic structure of single-crystal MnBi 95
Braun, D., Exact activation energy of magnetic single domain particles 1
Brück, E., see Zhang, M. 409
Brückner, W., J. Thomas, R. Hertel, R. Schäfer and C.M. Schneider, Magnetic domains in a textured Co nanowire 82

Carneiro, A.A.O., see Ferreira, A. 16
Chae, K.P., J.-G. Lee, H. Su Kweon and Y.B. Lee, The crystallographic, magnetic properties of Al, Ti doped $CoFe_2O_4$ powders grown by sol–gel method 103
Chang, T.C., see Wu, K.H. 380
Chang, Y.C., see Wu, K.H. 380
Chattopadhyay, K.N., see Neogy, D. 164
Chauhan, B.S., R. Kumar, K.M. Jadhav and M. Singh, Magnetic study of substituted Mg–Mn ferrites synthesized by citrate precursor method 71
Chen, F., see Litvinov, D. 128
Chen, H., see Du, H. 316
Chen, L., see Xia, Z.C. 251
Chen, Y.C., see Jiang, W. 210
Cheng, Z.X., T.M. Silver, A.H. Li, X.L. Wang and H. Kimura, Effect of progressive substitution of La^{3+} by Bi^{3+} on the structure, magnetic and transport properties of $La_{0.67}Sr_{0.33}Mno_3$ 143
Chiu, Y.S., see Wu, K.H. 380
Choi, C.J., see Li, D. 8
Costa Filho, R.N., see Leite, R.V. 385

de Boer, F.R., see Zhang, M. 409
Dho, J., see Qi, X. 415
Dong, B., see Xia, Z.C. 251
Dong, H.-N., see Wu, S.-Y. 270
Dopita, M., see Prchal, J. 34
dos Santos, A.V. and J.C. Krause, Calculation of the critical pressure and electronic structure of Fe–Sn nitrides 297
Du, G.H., see Liu, Z.L. 258
Du, H., J. Han, W. Zhang, C. Wang, W. Wang, S. Liu, H. Chen, X. Zhang and Y. Yang, Determination of the zirconium site in zirconium-substituted $Nd(Fe,Mo,Zr)_{12}$ compounds 316
Du, Y.Q., see Liu, Z.L. 258

El-Khodary, A., see Tawansi, A. 199
Eleoui, M., O. Fruchart and J.-C. Toussaint, Micromagnetic model of magnetization reversal of magnetically hard ultrathin dots and stripes 46
Erdinç, A., see Keskin, M. 392
Evans, P., see Zhang, J. 89

Fang, C.H., see Xia, Z.C. 251
Faria, R.N., see Barbosa, L.P. 263
Ferreira, A., A.A.O. Carneiro, E.R. Moraes, R.B. Oliveira and O. Baffa, Study of the magnetic content movement present in the large intestine 16
Fisher, I.R., see Brammeier, D.P. 95
Foltyn, S., see Qi, X. 415
Fox, A.M., see Blythe, H.J. 117
Fronc, K., see Żuberek, R. 28
Fruchart, O., see Eleoui, M. 46

doi: 10.1016/S0304-8853(04)01176-X

Available online at www.sciencedirect.com
SCIENCE DIRECT®
ELSEVIER
Journal of Magnetism and Magnetic Materials 283 (2004) 422–425
Journal of magnetism and magnetic materials
www.elsevier.com/locate/jmmm

Author index to volume 283

Agrafiotis, C.C. and V.T. Zaspalis, Self-propagating high-temperature synthesis of MnZn-ferrites for inductor applications 364
Ambrose, T., see Litvinov, D. 128
Anantharaman, M.R., see Nair, S.S. 344

Baffa, O., see Ferreira, A. 16
Bai, J., H. Takahoshi, H. Ito, Y.W. Rheem, H. Saito and S. Ishio, Influence of inhomogeneous coercivities on media noise in granular perpendicular media investigated by using magnetic force microscopy 291
Barbosa, L.P., H. Takiishi, L.F.C.P. Lima and R.N. Faria, The effect of niobium content on the magnetic properties and microstructures of PrFECoBNb HDDR magnets and alloys 263
Bekker, V., see Seemann, K. 310
Bhaskar, A., B.R. Kanth and S.R. Murthy, Electrical properties of Mn added MgCuZn ferrites prepared by microwave sintering method 109
Bica, I., Magnetorheological suspension based on mineral oil, iron and graphite micro-particles 335
Blamire, M., see Qi, X. 415
Blythe, H.J., R.M. Ibrahim, G.A. Gehring, J.R. Neal and A.M. Fox, Mechanical alloying: a route to room-temperature Ferromagnetism in bulk $Zn_{1-x}Mn_xO$ 117
Brammeier, D.P., J.-M. Park, C.G. Olson, I.R. Fisher and D.W. Lynch, Magneto-optic spectrum and electronic structure of single-crystal MnBi 95
Braun, D., Exact activation energy of magnetic single domain particles 1
Brück, E., see Zhang, M. 409
Brückner, W., J. Thomas, R. Hertel, R. Schäfer and C.M. Schneider, Magnetic domains in a textured Co nanowire 82

Carneiro, A.A.O., see Ferreira, A. 16
Chae, K.P., J.-G. Lee, H. Su Kweon and Y.B. Lee, The crystallographic, magnetic properties of Al, Ti doped $CoFe_2O_4$ powders grown by sol–gel method 103
Chang, T.C., see Wu, K.H. 380
Chang, Y.C., see Wu, K.H. 380
Chattopadhyay, K.N., see Neogy, D. 164
Chauhan, B.S., R. Kumar, K.M. Jadhav and M. Singh, Magnetic study of substituted Mg–Mn ferrites synthesized by citrate precursor method 71
Chen, F., see Litvinov, D. 128
Chen, H., see Du, H. 316
Chen, L., see Xia, Z.C. 251
Chen, Y.C., see Jiang, W. 210
Cheng, Z.X., T.M. Silver, A.H. Li, X.L. Wang and H. Kimura, Effect of progressive substitution of La^{3+} by Bi^{3+} on the structure, magnetic and transport properties of $La_{0.67}Sr_{0.33}Mno_3$ 143
Chiu, Y.S., see Wu, K.H. 380
Choi, C.J., see Li, D. 8
Costa Filho, R.N., see Leite, R.V. 385

de Boer, F.R., see Zhang, M. 409
Dho, J., see Qi, X. 415
Dong, B., see Xia, Z.C. 251
Dong, H.-N., see Wu, S.-Y. 270
Dopita, M., see Prchal, J. 34
dos Santos, A.V. and J.C. Krause, Calculation of the critical pressure and electronic structure of Fe–Sn nitrides 297
Du, G.H., see Liu, Z.L. 258
Du, H., J. Han, W. Zhang, C. Wang, W. Wang, S. Liu, H. Chen, X. Zhang and Y. Yang, Determination of the zirconium site in zirconium-substituted $Nd(Fe,Mo,Zr)_{12}$ compounds 316
Du, Y.Q., see Liu, Z.L. 258

El-Khodary, A., see Tawansi, A. 199
Eleoui, M., O. Fruchart and J.-C. Toussaint, Micromagnetic model of magnetization reversal of magnetically hard ultrathin dots and stripes 46
Erdinç, A., see Keskin, M. 392
Evans, P., see Zhang, J. 89

Fang, C.H., see Xia, Z.C. 251
Faria, R.N., see Barbosa, L.P. 263
Ferreira, A., A.A.O. Carneiro, E.R. Moraes, R.B. Oliveira and O. Baffa, Study of the magnetic content movement present in the large intestine 16
Fisher, I.R., see Brammeier, D.P. 95
Foltyn, S., see Qi, X. 415
Fox, A.M., see Blythe, H.J. 117
Fronc, K., see Żuberek, R. 28
Fruchart, O., see Eleoui, M. 46

doi: 10.1016/S0304-8853(04)01176-X

Fu, Y.-P., C.-H. Lin and C.-W. Liu, Preparation and magnetic properties of $Ni_{0.25}Cu_{0.25}Zn_{0.5}$ ferrite from microwave-induced combustion 59

Gao, R.S., see Sun, X.Y. 231
Gehring, G.A., see Blythe, H.J. 117
Gribanov, A.V., see Strydom, A.M. 181

Han, J., see Du, H. 316
Harms, U., see Schwarz, R.B. 223
Hertel, R., see Brückner, W. 82
Hirosawa, S., see Morikawa, T. 322
Hong, C.-Y., Y.S. Yeh, S.Y. Yang, H.E. Horng and H.C. Yang, Ordered structures with point-like defects of various shapes in magnetic fluid films 22
Hong, C.-Y., see Jiang, W. 210
Horng, H.E., see Hong, C.-Y. 22
Horng, H.E., see Jiang, W. 210
Howard, K., see Litvinov, D. 128
Hung, J.C., see Jiang, W. 210

Ibrahim, R.M., see Blythe, H.J. 117
Ishio, S., see Bai, J. 291
Isnard, O., see Prchal, J. 34
Ito, H., see Bai, J. 291

Jadhav, K.M., see Chauhan, B.S. 71
Jarlborg, T., Electronic structure and magnetism for $FeSi_{(1-x)}Ge_x$ from supercell calculations 238
Javorský, P., see Prchal, J. 34
Jia, Q., see Qi, X. 415
Jiang, W., H.C. Yang, S.Y. Yang, H.E. Horng, J.C. Hung, Y.C. Chen and C.-Y. Hong, Preparation and properties of superparamagnetic nanoparticles with narrow size distribution and biocompatible 210
Jin, X., see McEvoy, C. 171
Joy, P.A., see Nair, S.S. 344
Jurek, K., see Prchal, J. 34

Kameli, P., H. Salamati, G.V. Sudhakar Rao and F.S. Razavi, The effect of La deficiency on structure and magnetic properties of $La_{0.9-x}\ Sr_{0.1}\ MnO_3$ 305
Kanth, B.R., see Bhaskar, A. 109
Keskin, M. and A. Erdinç, Multicritical phase diagrams of the Blume–Emery–Griffiths model with repulsive biquadratic coupling including metastable phases: the pair approximation and the path probability method with pair distribution 392
Khizroev, S., see Litvinov, D. 128
Kim, B.K., see Li, D. 8
Kimura, H., see Cheng, Z.X. 143
Kirschner, J., see Porrati, F. 133
Kogure, R., see Morikawa, T. 322
Krause, J.C., see dos Santos, A.V. 297
Kulkarni, S.D., see Nair, S.S. 344
Kumar, R., see Chauhan, B.S. 71

Lakshman, A., P.S.V. Subba Rao and K.H. Rao, Frequency dependence of initial permeability and magnetic loss factor of In^{3+} Cr^{3+} substituted Mg–Mn ferrites 329
Lee, J.-G., see Chae, K.P. 103
Lee, J.-S., see Qi, X. 415
Lee, Y.B., see Chae, K.P. 103
Leiste, H., see Seemann, K. 310
Leite, R.V., B.T.F. Morais, J. Milton Pereira Jr. and R.N. Costa Filho, Green's function theory for a magnetic impurity layer in a ferromagnetic Ising film with transverse field 385
Li, A.H., see Cheng, Z.X. 143
Li, D., C.J. Choi, J.H. Yu, B.K. Kim and Z.D. Zhang, Nanocrystalline α-Fe and ε-Fe_3N particles prepared by chemical vapor condensation process 8
Li, Y.-T., Q.-M. Wu, C.-W. Yan and C.-Y. Zhu, Synthesis and magnetic properties of copper(II)–lanthanide(III) heterobinuclear complexes with *N,N'*-bis[3-(dimethylamino)propyl]oxamido as ligand 215
Lillo, T., see Schwarz, R.B. 223
Lima, L.F.C.P., see Barbosa, L.P. 263
Lin, C.-H., see Fu, Y.-P. 59
Lin, G.C., C.D. Xu and J.X. Zhang, Magnetocaloric effect in $La_{0.80-x}Ca_{0.20}Sr_xMnO_3$ ($x = 0.05, 0.08, 0.10$) 375
Lin, H.-Y., see Yu, H.-F. 190
Litvinov, D., J.C. Wolfe, E.B. Svedberg, T. Ambrose, K. Howard, F. Chen, T.E. Schlesinger and S. Khizroev, Ion implantation of magnetic thin films and nanostructures 128
Liu, C.-W., see Fu, Y.-P. 59
Liu, D.-L., see Tang, F. 65
Liu, D.W., see Xia, Z.C. 251
Liu, G., see Xia, Z.C. 251
Liu, L., see Xia, Z.C. 251
Liu, Q. and Y. Yu, Multi-cycle low-temperature demagnetization (LTD) of multidomain Fe_3O_4 (magnetite) 150
Liu, S., see Du, H. 316
Liu, S., see Xia, Z.C. 251
Liu, Z.L., H.B. Wang, Q.H. Lu, G.H. Du, L. Peng, Y.Q. Du, S.M. Zhang and K.L. Yao, Synthesis and characterization of ultrafine well-dispersed magnetic nanoparticles 258
Lu, Q.H., see Liu, Z.L. 258
Lu, T.-M., see Tang, F. 65
Lynch, D.W., see Brammeier, D.P. 95

MacManus-Driscoll, J.L., see Qi, X. 415
Mathews, M., see Nair, S.S. 344
McEvoy, C., X. Jin and I.V. Shvets, Proximity influence of a ferromagnet on the magnetoresistance of Cr film across a nonmagnetic layer 171
Milton Pereira Jr., J., see Leite, R.V. 385
Moraes, E.R., see Ferreira, A. 16
Morais, B.T.F., see Leite, R.V. 385

Morikawa, T., H. Wada, R. Kogure and S. Hirosawa, Effect of concentration deviation from stoichiometry on the magnetism of $Mn_{1+\delta}As_{0.75}Sb_{0.25}$ 322
Murphy, S., see Usov, V. 357
Murthy, S.R., see Bhaskar, A. 109

Nair, S.S., M. Mathews, P.A. Joy, S.D. Kulkarni and M.R. Anantharaman, Effect of cobalt doping on the magnetic properties of superparamagnetic γ-Fe_2O_3-polystyrene nanocomposites 344
Neal, J.R., see Blythe, H.J. 117
Neogy, D., P. Paul and K.N. Chattopadhyay, Investigation of magnetic, thermal and hyperfine properties of Tb^{3+} in the single crystal of terbium trifluoromethanesulfonate nonahydrate 164

Oepen, H.P., see Porrati, F. 133
Oliveira, R.B., see Ferreira, A. 16
Olson, C.G., see Brammeier, D.P. 95

Park, J.-M., see Brammeier, D.P. 95
Paszkowicz, W., see Żuberek, R. 28
Paul, P., see Neogy, D. 164
Peng, L., see Liu, Z.L. 258
Porrati, F., H.P. Oepen and J. Kirschner, Magnetic configurations in anisotropic stripe systems 133
Prchal, J., P. Javorský, V. Sechovský, M. Dopita, O. Isnard and K. Jurek, Development of magnetic order in the pseudo-ternary series $ErNi_{1-x}Cu_xAl$ 34

Qi, X., J. Dho, M. Blamire, Q. Jia, J.-S. Lee, S. Foltyn and J.L. MacManus-Driscoll, Epitaxial growth of $BiFeO_3$ thin films by LPE and sol–gel methods 415

Rao, K.H., see Lakshman, A. 329
Razavi, F.S., see Kameli, P. 305
Rheem, Y.W., see Bai, J. 291

Saito, H., see Bai, J. 291
Salamati, H., see Kameli, P. 305
Schäfer, R., see Brückner, W. 82
Schlesinger, T.E., see Litvinov, D. 128
Schneider, C.M., see Brückner, W. 82
Schwarz, R.B., T.D. Shen, U. Harms and T. Lillo, Soft ferromagnetism in amorphous and nanocrystalline alloys 223
Sechovský, V., see Prchal, J. 34
Seemann, K., H. Leiste and V. Bekker, Uniaxial anisotropy and high-frequency permeability of novel soft magnetic FeCoTaN and FeCoAlN films field-annealed at CMOS temperatures 310
Seropegin, Yu.D., see Strydom, A.M. 181
Shen, T.D., see Schwarz, R.B. 223
Shvets, I.V., see McEvoy, C. 171
Shvets, I.V., see Usov, V. 357
Silver, T.M., see Cheng, Z.X. 143
Singh, M., see Chauhan, B.S. 71
Strydom, A.M., A.V. Gribanov, Yu.D. Seropegin, R. Wawryk and R. Troć, Magnetic ordering and metamagnetism in Ce_2TGe_6 (T = Pd, Pt) 181
Su Kweon, H., see Chae, K.P. 103
Su, H., H. Zhang, X. Tang and X. Xiang, High-permeability and high-Curie temperature NiCuZn ferrite 157
Subba Rao, P.S.V., see Lakshman, A. 329
Sudhakar Rao, G.V., see Kameli, P. 305
Sun, X.Y., C.Y. Xu, L. Zhen, R.S. Gao and R.G. Xu, Microstructure and magnetic properties of Fe–25Cr–12Co–1Si alloy thermo-magnetically treated in intense magnetic field 231
Svedberg, E.B., see Litvinov, D. 128
Szymczak, H., see Żuberek, R. 28

Takahoshi, H., see Bai, J. 291
Takiishi, H., see Barbosa, L.P. 263
Tang, C.Q., see Xia, Z.C. 251
Tang, F., D.-L. Liu, D.-X. Ye, T.-M. Lu and G.-C. Wang, Asymmetry of magneto-optical Kerr effect loops of Co nano-columns grown by oblique incident angle deposition 65
Tang, S., see Zheng, W.-C. 276
Tang, X., see Su, H. 157
Tawansi, A., A. El-Khodary and A.E. Youssef, Structural, electrical and magnetic properties of polystyrene films filled with $AgNO_3$–$FeCl_3$ mixed fillers 199
Thomas, J., see Brückner, W. 82
Tian, H.W., see Wang, X. 282
Toussaint, J.-C., see Eleoui, M. 46
Troć, R., see Strydom, A.M. 181

Usov, V., S. Murphy and I.V. Shvets, In situ study of in-plane magnetic anisotropy of ultrathin Fe films on Mo(1 1 0) 357

Wada, H., see Morikawa, T. 322
Wang, C., see Du, H. 316
Wang, G.-C., see Tang, F. 65
Wang, H.B., see Liu, Z.L. 258
Wang, L.L., see Wang, X. 282
Wang, W., see Du, H. 316
Wang, X., W.T. Zheng, H.W. Tian, S.S. Yu and L.L. Wang, Effect of substrate temperature and bias voltage on DC magnetron sputtered Fe–N thin films 282
Wang, X.L., see Cheng, Z.X. 143
Wawryk, R., see Strydom, A.M. 181
Wei, W.-H., see Wu, S.-Y. 270
Wen, Y.H., see Yu, L.Q. 353
Wolfe, J.C., see Litvinov, D. 128
Wu, G., see Zhang, M. 409
Wu, K.H., Y.C. Chang, T.C. Chang, Y.S. Chiu and T.R. Wu, Effects of SiO_2 content and solution pH in raw materials on Ni–Zn ferrite magnetic properties 380
Wu, Q.-M., see Li, Y.-T. 215

Wu, S.-Y., H.-N. Dong and W.-H. Wei, Investigations of the electron paramagnetic resonance g factors for the trigonal $Er^{3+}-V_K$ centers in KMF_3 (M = Mg and Zn) 270
Wu, T.R., see Wu, K.H. 380
Wu, X.-X., see Zheng, W.-C. 276

Xia, Z.C., D.W. Liu, L. Chen, C.H. Fang, B. Dong, G. Liu, L. Liu, S. Liu, C.Q. Tang and S.L. Yuan, Engineering of heterogeneous oxide for grain boundaries and transport properties of $La_{0.33}MnO_3$ 251
Xiang, X., see Su, H. 157
Xu, C.D., see Lin, G.C. 375
Xu, C.Y., see Sun, X.Y. 231
Xu, R.G., see Sun, X.Y. 231

Yan, C.-W., see Li, Y.-T. 215
Yan, M., see Yu, L.Q. 353
Yang, H.C., see Hong, C.-Y. 22
Yang, H.C., see Jiang, W. 210
Yang, S.Y., see Hong, C.-Y. 22
Yang, S.Y., see Jiang, W. 210
Yang, Y., see Du, H. 316
Yao, K.L., see Liu, Z.L. 258
Ye, D.-X., see Tang, F. 65
Yeh, Y.S., see Hong, C.-Y. 22
Youssef, A.E., see Tawansi, A. 199
Yu, H.-F. and H.-Y. Lin, Preparation and thermal behavior of aerosol-derived $BaFe_{12}O_{19}$ nanoparticles 190
Yu, J.H., see Li, D. 8
Yu, L.Q., Y.H. Wen and M. Yan, Effects of Dy and Nb on the magnetic properties and corrosion resistance of sintered NdFeB 353
Yu, S.S., see Wang, X. 282
Yu, Y., see Liu, Q. 150
Yuan, S.L., see Xia, Z.C. 251

Zangari, G., see Zhang, J. 89
Zaspalis, V.T., see Agrafiotis, C.C. 364
Zhang, H., see Su, H. 157
Zhang, H., see Zhong, H. 247
Zhang, J., P. Evans and G. Zangari, Electrodeposition of Sm–Co nanoparticles from aqueous solutions 89
Zhang, J.X., see Lin, G.C. 375
Zhang, M., E. Brück, F.R. de Boer and G. Wu, Electronic structure, magnetism, and transport properties of the Heusler alloy Fe_2CrAl 409
Zhang, S.M., see Liu, Z.L. 258
Zhang, W., see Du, H. 316
Zhang, X., see Du, H. 316
Zhang, Z.D., see Li, D. 8
Zhen, L., see Sun, X.Y. 231
Zheng, W.-C., S. Tang and X.-X. Wu, The effects of applied electric fields on the EPR spectra of Fe^{3+} ion in tetragonal $SrTiO_3$ crystal 276
Zheng, W.T., see Wang, X. 282
Zhong, H. and H. Zhang, Effects of different sintering temperature and Mn content on magnetic properties of NiZn ferrites 247
Zhu, C.-Y., see Li, Y.-T. 215
Żuberek, R., K. Fronc, W. Paszkowicz and H. Szymczak, Magnetic anisotropy and magnetoelastic constants of ultrathin Fe/GaAs(0 0 1) films sputtered in hydrogen atmosphere 28

Available online at www.sciencedirect.com
SCIENCE DIRECT®
ELSEVIER
Journal of Magnetism and Magnetic Materials 283 (2004) 426–427
Journal of magnetism and magnetic materials
www.elsevier.com/locate/jmmm

Subject index to volume 283

γ-Fe_2O_3 344
μ-Oxamido-bridge 215

Activation energy 1
Adiabatic temperature change 375
Aerosols 190
Alloying 353
Amorphous 223

Barium hexaferrite 190
$BiFeO_3$ 415
Biocompatible 210
Bismuth 143

Ceramics 247
Cerium compounds 181
Chemical vapor condensation 8
Citrate precursor method 190
CMR 143
Co nanocolumns 65
Co-precipitation 210
Cobalt ferrite 103
Coercivity 46, 103, 344
Combustion synthesis 59
Copper(II) 215
Coprecipitation 258
Corrosion resistance 353
Cr 171
Crystal field 164, 276
Crystal structure 316
Crystal-field and spin hamiltonians 270
CuO content 157
Curie temperature 157

Defects 22
Defects and impurities 270
Dielectric constant 109
Dilute magnetic semiconductors 117
Direct magnetic coupling 171
Disorder 238
Dispersion 258
Dissipation factor 109
Domain structure 82

Electric-field effect 276
Electrical conductivity 335
Electrical resistivity 109, 199
Electrodeposition 89
Electron paramagnetic resonance 276
Electron paramagnetic resonance (EPR) 270
Electron spin resonance 199
Electronic band structure 409
Electronic structure 95, 238
Engineer 251
Er3+ 270
ErCuAl 34
ErNiAl 34

Fe film 357
Fe-alloys 238
Fe–Cr–Co alloy 231
Fe–N nanocrystalline 8
Ferrites 364
Ferroelectricity 415
Ferromagnetic 143
Ferromagnetic resonance 28
Ferromagnetism 117, 223, 415
Frequency dependence 329

Graphite 335
Green's function 385

Heisenberg ferromagnet 385
Heterobinuclear complexes 215
Heusler alloy 409
High-coercivity materials 89
High-frequency permeability 310
Hydrides 263
Hysteresis 344

Impurities modes 385
Incommensurate structure 34
Infrared 199
Inhomogeneous coercivities 291
Initial permeability 71, 109, 329
Ion implantation 128
Iron films 28
Iron micro-particles 335
Iron nitride thin films 282
Ising model-transverse 385

Kerr effect 95
KMF_3 (M = Mg and Zn) 270

$La_{0.80-x}Ca_{0.20}Sr_xMnO_3$ 375
Lanthanide(III) 215
LAPW 297
Ligand field 276
Lorentz microscopy 82
Low-temperature demagnetization 150
LPE 415

Magnetic anisotropy 28, 65, 133, 357
Magnetic colloid 258
Magnetic dot 46
Magnetic field 335
Magnetic fluid 22
Magnetic force microscopy 291
Magnetic loss factor 329
Magnetic materials 263
Magnetic ordering 181
Magnetic particle 1
Magnetic particles 210
Magnetic powder 190
Magnetic properties 8, 231, 247, 263, 316, 353, 364
Magnetic recording 128
Magnetic susceptibility 164, 199
Magnetic thin films 310
Magnetism 215, 238, 409
Magnetite 171
Magnetite (Fe_3O_4) 150
Magnetization 34, 251, 258, 305, 380
Magnetization reversal 46
Magneto-optical Kerr effect 65
Magneto-optics 95
Magnetocaloric effect 322, 375
Magnetoelastic constants 28
Magneton number 71
Magnetoresistance 171
Magnetorheological suspensions 335
Magnetron sputtering 282
Manganites 305
Mechanical alloying 117
Media noise 291
Metal–insulator transition 238

doi: 10.1016/S0304-8853(04)01177-1

Metamagnetic transition 322
Metamagnetism 181
Metastable and unstable phases 392
Mg–Mn ferrites 329
Micromagnetic modelling 46
Micromagnetic simulation 82
Microstructure 8, 231, 247
Microwave sintering 109
Mixed $AgNO_3$ and $FeCl_3$ fillers 199
$MnAs_{1-x}Sb_x$ 322
MnBi 95
Mo(1 1 0) 357
MoO_3 additive 157
Mössbauer spectroscopy 103
Multi-cycle 150
Multilayer chip inductor 109

Nanocomposites 344, 380
Nanocrystalline 223
Nanomagnetics 128
Nanoparticles 89, 258
Nanowire 82
Neel temperature 71
Neutron diffraction 34
Ni–Cu–Zn ferrite 59
Nitrides 297
NiZn ferrites 247, 380
Nonmagnetic insulating layer 171
Nonstoichiometric compound 322

Ordered structure 22

Pair approximation 392
Path probability method 392
Permanent magnets 316
Permeability 157
Perovskite 297
Perovskite-type 375
Perpendicular magnetic recording media 291
Photoelectron spectroscopy 95
Polystyrene 199
Pr-based alloys 263
Pyrolysis 305

Q factor 109

Rare-earth 34
Resistance 143
Resistivity 251, 305

Saturation magnetization 59, 71, 103
Self-propagating high-temperature synthesis 364
Silica 380
Sintered NdFeB 353
Sm–Co 89
Sol–gel 415
Sol–gel method 103
Spin dynamics 310
Spin reorientation transition 133
Spin wave 385
Spray pyrolysis 190
SQUID 380
$SrTiO_3$:$Fe3^+$ 276
Stoner-Wohlfarth model 1
Structure 143
Substrate bias voltage 282
Substrate temperature 282

Terbium trifluoromethanesulfonate 164
The Blume–Emery–Griffiths model 392
Thermal and hyperfine properties 164
Thermal variation of AC susceptibility 71
Thermo-magnetic treatment 231
Transport property 409

Ultrathin films 133
Uniaxial anisotropy 310

VSM 59

X-ray diffraction 199, 305, 316

Zirconium 316